

FLOW SITE TUBE

Shut Off Valves



The Premier flow sight tube valves are made in the USA, complete with a needle style, flow control/shut off valve.

These valves are available with C10, CGA 600, and 1/8" FNPT inlet connections and are designed to function with a wide range of Premier transportable regulators. They can be used with a wide range of gases that are compatible with the materials of construction.

FEATURES

- 360 Brass Body
- Acrylic flow indicator
- 600 PSIG (41.37 bar) max inlet pressure
- Economical pricing

SOME APPLICATIONS WILL REQUIRE A CUSTOM SOLUTION. CONTACT PREMIER INDUSTRIES TO REQUEST A MODIFICATION OR A CUSTOM DESIGN.



763.786.4020 SALES@PREMIERIND.US

WWW.PREMIERIND.US

D/C: 181009 Page: 1 of 3



FLOW SITE TUBE

Shut Off Valves

SPECIFICATIONS

- MAXIMUM INLET PRESSURE :
 - 600 PSIG (41.37 bar)

MATERIALS OF CONSTRUCTION

• BODY:

• SAE 360 Brass

- FLOW INDICATOR: Clear Acrylic
- SEAL: Viton®

PORTING

- OUTLET:
 - 1/8" Hose Barb
- INLET:
 - CGA 600 (P/N: 50-10788)
 - C10 (P/N: 50-10807)
 - 1/8" FNPT (P/N: 50-10739)

OPTIONS

- Inlet Porting
- Inlet Pressure

Viton® is a registered trademark of E.I.duPont de Nemours and Company

Contact factory for material certifications. Fees may apply.







FLOW SITE TUBE

Shut Off Valves

PART NUMBER: 50-10788 CGA 600 INLET





PART NUMBER: 50-10807 C10 INLET

