

High Sensitivity, Low Pressure, High Flow Back Pressure Regulators



Premier 2440 series low pressure, high flow, back pressure regulators are highly sensitive, capable of controlling pressures down to 1 PSIG (0.07 BAR). 2440 Series regulators are rated to Cv 4.0. They feature a neoprene diaphragm, and a controlled pressure range of either 0-15 PSIG / 0-1.03 BAR or 0-75 PSIG / 0-5.17 BAR.

FEATURES

- Flow Capacity (Cv): 4.0
- High Sensitivity
- Neoprene diaphragm
- Very competitive pricing
- Machined bar stock body, and bonnet eliminates porosity found in castings

SOME APPLICATIONS WILL REQUIRE A CUSTOM SOLUTION.CONTACT PREMIER INDUSTRIES TO REQUEST A MODIFICATION
OR A CUSTOM DESIGN.



763.786.4020 SALES@PREMIERIND.US D/C: 250303



High Sensitivity, Low Pressure, High FlowBack Pressure Regulators

SPECIFICATIONS

- CONTROLLED PRESSURE RANGE:
 - 0-15 PSIG / 0-1.03 BAR
 - 0-75 PSIG / 0-5.17 BAR
- FLOW (Cv): 4.0

OPTIONAL ITEMS

- Gauges
- Panel mounting nuts
- Private label

MATERIALS OF CONSTRUCTION

- BONNET:
 - 6061-T6 Aluminum, Nickel Plated
- · BODY:
 - 303 Stainless Steel
- DIAPHRAGM OPTIONS:
 - Neoprene
- MAIN VALVE SEAT:
 - Neoprene

PORTING

- STANDARD INLET:
 - 1/2-18 FNPT
- STANDARD OUTLET:
 - 1/2-18 FNPT

Contact factory for material certifications. Fees may apply.



763.786.4020 SALES@PREMIERIND.US

WWW.PREMIERIND.US


D/C: 250303


Page: 2 of 4



High Sensitivity, Low Pressure, High Flow Back Pressure Regulators

PART NUMBER: 50-13155







763.786.4020 SALES@PREMIERIND.US D/C: 210607

Page: 3 of 4



High Sensitivity, Low Pressure, High Flow Back Pressure Regulators

PART #	-	1
50-13155	-	

1	CRACKING PRESSURE
BLANK	0-75 PSIG / 0-5.17 BAR
1	0-15 PSIG / 0-1.03 BAR

Contact factory for material certifications. Fees may apply.



763.786.4020 SALES@PREMIERIND.US D/C: 250403

Page: 4 of 4